

DOM capabilities

inch	0.028	.035	.049	.065	.083	.120	.128	.156	.165	.188	.203	.250	.281	.312	.344	.375	.450	.500	.563	.625	.660	
mm	0.71	0.89	1.24	1.65	2.11	3.05	3.25	3.96	4.19	4.78	5.16	6.35	7.14	7.92	8.74	9.53	11.43	12.70	14.30	15.88	16.76	
9.53	X	X	X	X																		
12.70	X	X	X	X	X																	
15.9	X	X	X	X	X	X	X															
19.1	X	X	X	X	X	X	X	X	X	X	X	X	X									
22.2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
25.4	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X						
28.6	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X						
31.8	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X						
34.9	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X						
38.1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
41.3	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
44.5	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
47.6	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
50.8	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
54.0	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
57.2		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
60.3		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
63.5		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
69.9			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
76.2				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
82.6				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
88.9				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
95.3				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
101.6				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
108.0				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
114.3				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
120.7								X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
127.0									X	X	X	X	X	X	X	X	X	X	X	X	X	X
127.0									X	X	X	X	X	X	X	X	X	X	X	X	X	X
133.4									X	X	X	X	X	X	X	X	X	X	X	X	X	X
139.7									X	X	X	X	X	X	X	X	X	X	X	X	X	X
146.1									X	X	X	X	X	X	X	X	X	X	X	X	X	X
152.4										X	X	X	X	X	X	X	X	X	X	X	X	X
158.8										X	X	X	X	X	X	X	X	X	X	X	X	X
165.1										X	X	X	X	X	X	X	X	X	X	X	X	X
171.5										X	X	X	X	X	X	X	X	X	X	X	X	X
177.8										X	X	X	X	X	X	X	X	X	X	X	X	X
184.2											X	X	X	X	X	X	X	X	X	X	X	X
190.5												X	X	X	X	X	X	X	X	X	X	X
196.9												X	X	X	X	X	X	X	X	X	X	X
203.2												X	X	X	X	X	X	X	X	X	X	X
209.6												X	X	X	X	X	X	X	X	X	X	X
215.9												X	X	X	X	X	X	X	X	X	X	X
222.3												X	X	X	X	X	X	X	X	X	X	X
228.6												X	X	X	X	X	X	X	X	X	X	X
235.0												X	X	X	X	X	X	X	X	X	X	X
241.3												X	X	X	X	X	X	X	X	X	X	X
247.7												X	X	X	X	X	X	X	X	X	X	X
254.0												X	X	X	X	X	X	X	X	X	X	X
260.4												X	X	X	X	X	X	X	X	X	X	X

ERW Capabilities

	Min (in)	0.028	0.035	0.045	0.057	0.070	0.081	0.104	0.120	0.125	0.136	0.156	0.160	0.176	0.208	0.238	0.270	0.290	0.300	0.350	0.410	0.450	0.485	0.530	0.565	0.625	0.630	0.660	0.680	0.700		
	Nom (in)	.030	.038	.049	.061	.074	.085	.109	.125	.130	.148	.160	.165	.180	.216	.245	.276	.300	.310	.361	.421	.461	.496	.542	.577	.637	.643	.673	.693	.713		
Minn	mm	0.76	0.97	1.24	1.55	1.88	2.16	2.77	3.18	3.30	3.76	4.06	4.19	4.57	5.49	6.22	7.01	7.62	7.87	9.17	10.69	11.71	12.60	13.77	14.66	16.18	16.33	17.09	17.60	18.11		
0.500	12.7		X	X	X	X																										
0.625	15.9		X	X	X	X																										
0.750	19.1		X	X	X	X	X																									
0.875	22.2		X	X	X	X	X	X																								
1.000	25.4		X	X	X	X	X	X	X																							
1.125	28.6		X	X	X	X	X	X	X																							
1.312	33.3		X	X	X	X	X	X	X	X																						
1.375	34.9		X	X	X	X	X	X	X	X																						
1.500	38.1		X	X	X	X	X	X	X	X	X	X	X	X	X																	
1.625	41.3		X	X	X	X	X	X	X	X	X	X	X	X	X																	
1.750	44.5		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X															
1.875	47.6		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X															
2.000	50.8		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X															
2.125	54.0		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X														
2.250	57.2		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X														
2.375	60.3		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X														
2.500	63.5		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X													
2.750	69.9		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X													
3.000	76.2			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X												
3.250	82.6			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X												
3.375	85.7			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X												
3.500	88.9				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X												
4.000	101.6				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X												
4.250	108.0				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X												
4.500	114.3				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X												
5.000	127.0						X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X					
5.500	139.7															X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
6.000	152.4															X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
6.625	168.3															X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
7.500	190.5															X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
8.625	219.1															X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
9.625	244.5																	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
10.800	274.3																		X	X	X	X	X	X	X	X	X	X	X	X	X	

CDSM Capabilities

	inch	.700	.750	.800	.850	.900	1.000	1.050	1.100	1.150	1.200	1.250	1.300	1.350	1.400	1.450	1.500	1.550	1.600	1.650	1.700	1.750	1.800	1.900	1.950	2.000		
	mm	17.78	19.05	20.32	21.59	22.86	25.40	26.67	27.94	29.21	30.48	31.75	33.02	34.29	35.56	36.83	38.10	39.37	40.64	41.91	43.18	44.45	45.72	48.26	49.53	50.80		
3.000	76.2	X	X	X	X	X	X																					
3.250	82.6	X	X	X	X	X	X																					
3.500	88.9	X	X	X	X	X	X																					
3.750	95.3	X	X	X	X	X	X																					
4.000	101.6	X	X	X	X	X	X	X	X	X																		
4.250	108.0	X	X	X	X	X	X	X	X	X																		
4.500	114.3	X	X	X	X	X	X	X	X	X																		
4.750	120.7	X	X	X	X	X	X	X	X	X																		
5.000	127.0	X	X	X	X	X	X	X	X	X	X	X	X	X														
5.250	133.4	X	X	X	X	X	X	X	X	X	X	X	X	X	X													
5.500	139.7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X*	X*											
5.750	146.1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X*	X*											
6.000	152.4	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X*	X*											
6.250	158.8	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X*	X*											
6.500	165.1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X*	X*											
6.750	171.5	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X*	X*											
7.000	177.8	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X*	X*											
7.250	184.2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X*	X*											
7.500	190.5	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X*	X*											
7.750	196.9	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X*	X*											
8.000	203.2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X*	X*											
8.250	209.6	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X*	X*											
8.500	215.9	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X*	X*											
8.750	222.3	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X*	X*											
9.000	228.6	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X*	X*											
9.250	235.0	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X*	X*											
9.500	241.3	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X*	X*											
9.750	247.7	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X*	X*											
10.000	254.0	X	X	X	X	X	X	X	X	X	X	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*							
10.250	260.4	X	X	X	X	X	X	X	X	X	X	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*						
10.500	266.7	X	X	X	X	X	X	X	X	X	X	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*						
10.750	273.1	X	X	X	X	X	X	X	X	X	X	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*						
11.000	279.4	X	X	X	X	X	X	X	X	X	X	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*					
11.250	285.8	X	X	X	X	X	X	X	X	X	X	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*
11.500	292.1	X	X	X	X	X	X	X	X	X	X	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*
11.750	298.5	X	X	X	X	X	X	X	X	X	X	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*
12.000	304.8	X	X	X	X	X	X	X	X	X	X	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*
12.250	311.2	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*
12.500	317.5	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*
12.750	323.9	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*